



SHOWER
W A L L

TRADE BROCHURE

04

PRODUCT INTRODUCTION

Introducing our smart waterproof system, a quick and cost-effective alternative to tiles

08

HPL COLLECTION

Showcasing design solutions for any bathroom with our collection of naturally inspired surfaces

PANEL DETAILS

Everything you need to know about HPL and Showerwall's technology at a glance

ACCESSORIES

Overview of our waterproof system

14

ACRYLIC COLLECTION

Showcasing design solutions for any bathroom with our collection of Acrylic & Custom decors

PANEL DETAILS

Everything you need to know about Acrylic panels to achieve stunning glass-like walls

18

USEFUL INFORMATION

A summary of useful information including care & maintenance and guarantees



UK stock available nationwide



NO SPECIALIST WET TRADES REQUIRED, MORE COST EFFECTIVE THAN TILES...

QUICKER

Showerwall panels are much larger than tiles and take less time to fit due to their large coverage.

EASIER TO INSTALL

Panels can be fitted by anyone competent in DIY, saving costs on tilers or bathroom fitters. No specialist wet trades required.

HASSLE FREE

Showerwall panels can be fitted over existing tiling and painted walls providing the surface is clean and the plumbing allows.

GREAT COVERAGE

Like tiles, Showerwall panels can be used to cover entire walls, not just areas that come into contact with water.



...AND LONGER LASTING

DURABLE

Panels are a long term solution that require less maintenance than tiles and won't discolour over time. A smart waterproof system built to last.



When installed correctly, using accessories and fitting guide, Showerwall is guaranteed against manufacturing defects for 15 years (HPL) / 10 years (Acrylic).



Download the full guarantee from www.showerwall.co.uk.

EASY TO MAINTAIN

Showerwall has a solid, grout-free surface eliminating hiding places for mould, dirt or germs. A hygienic and wipe-clean solution with minimal cleaning required.

MANUFACTURED IN THE UK



SHOWERWALL VS TILES

INSTALLATION TIME


Days



PROJECT COST

Cost %

includes materials and labour





A WATERPROOF PANELLING SYSTEM

Our HPL product at a glance.



100% WATERPROOF SYSTEM

Showerwall is the ultimate system in bathroom wall panelling. The system provides an impressive watertight finish that looks stunning and performs impeccably against the rigours of daily life.

LIGHTWEIGHT

Through carefully considered materials, Showerwall panels are incredibly lightweight and easy to handle; allowing for easy movement and working in the smallest of spaces.

EASY INSTALLATION

Showerwall can be fitted by anyone who is DIY competent. Its easy to cut and is simply fixed to the wall or over existing tiles. A lot less mess and a much faster fit than tiles.

NO GROUT REQUIRED

Compared to tiles, Showerwall is a fast and hassle-free installation. The system requires no grout only minimal sealing, reducing install time and costs.

FIT AND FORGET

At the base of the Showerwall panel even greater sealing performance is achieved using Sureseal. Fit and forget using the only maintenance free shower seal on the market with no future resealing required.

15 YEAR GUARANTEE

When installed correctly using the recommended accessories and fitting guide, Showerwall is guaranteed against manufacturing defects for 15 years from purchase date.

INSTALL OVER TILES

The showerwall system is perfectly suited for installation over tiles; eliminating the need for wall preparation prior to fitting and reducing installation time.

SAMPLES

Whilst images and swatches give a good indication of a decor, nothing compares to seeing how the real thing will work in a space.


Order a sample online at www.showerwall.co.uk or email samples@showerwall.co.uk.

See our collections online using the Showerwall visualiser at showerwall.co.uk/visualiser.

 MANUFACTURED IN THE UK

The Marble Collection

NERO



Phantom Marble
GROUP 3



Bianco Carrara
GROUP 3



Grigio Marble
GROUP 2




Lightning Marble
GROUP 4


VOLTERRA



Shell Marble
GROUP 4



Ocean Marble
GROUP 4




Grey Volterra Gloss
GROUP 3



Grey Volterra Texture
GROUP 3

TERRA




Cappuccino Marble
GROUP 1



Zamora Marble
GROUP 1


BIANCO



Carrara Marble
GROUP 1



Ivory Marble
GROUP 1



Pergamon Marble
GROUP 1




Apollo Marble
GROUP 3




Athena Marble
GROUP 3

The Quarry Collection


SLATE




Slate Grey
GROUP 1



Silver Slate Matt
GROUP 4




Gold Slate Matt
GROUP 4



Cracked Grey
GROUP 4



Silver Slate Gloss
GROUP 4



Gold Slate Gloss
GROUP 4

CONCRETE



Urban Concrete
GROUP 2




Moon Dust
GROUP 2



Washed Charcoal
GROUP 3



Moonstone
GROUP 3



White Charcoal
GROUP 3

TIMBER



Linea White
GROUP 1



Nautical Wood
GROUP 3

STONE




Travertine Gloss
GROUP 1



Silver Travertine
GROUP 3



Travertine Stone
GROUP 1



Blue Toned Stone
GROUP 3

The Mineral Collection


QUARTZ



Black Galaxy
GROUP 2




White Sparkle
GROUP 3




Bianco Stardust
GROUP 2



Positano Blue Terrazzo
GROUP 4




White Galaxy
GROUP 2



Vanilla Sparkle
GROUP 3



Stone Terrazzo
GROUP 3




Positano Grey Terrazzo
GROUP 4

SHIMMER



Luna
GROUP 2




Pearl Grey
GROUP 1




Pearlescent White
GROUP 1

VARNISH



White Gloss
GROUP 1



Aqua Ice
GROUP 2

MOLTEN





Urban Gloss
GROUP 1

NOTE: As each decor is designed to replicate organic materials it is often not possible to achieve a repeat pattern between two panels, particularly for decors replicating marble or stone.


HPL PANEL DETAILS

All decors from the Marble, Quarry and Mineral collections are manufactured from a moisture resistant MDF and finished with a high pressure laminate (HPL), creating 10.5mm thick panels. These panels are 2440mm in height and available in 3 widths: 600mm, 900mm or 1200mm. Choose from square cut panels or take advantage of Proclick technology which achieves seamless joints without the need for joining trims.




Square Cut Panels | easy to cut and use in any space

Our original tile alternative; these easy to cut panels make installation and maintenance simple. A durable system which utilises hygienic trims to join together and seal panels in place of traditional, often time consuming, grouting.



Proclick Panels | cover large areas quickly

Installation is made easy through the click design which allows panels to be located quickly and easily into place, eliminating the use of joining trims to create seamless joints.



Note: All HPL panels are 10.5mm in thickness. All panels are available with a plywood core on request, made to order. A minimum order quantity of 10 panels applies.

Trims & Sureseal | an impressive watertight finish

Our HPL panelling comes with a system consisting of two key components which ensure a watertight seal. Our trims and Sureseal are available in a range of colours to suit every decor, supported by Showerwall's own sealant and adhesive which have been engineered to ensure lasting results.

There are five available trim colours;


Note: Sureseal is a matt plastic finish and is therefore not available in Bright Silver.



HPL ACCESSORIES

Trims

In order to ensure a watertight finish, trims are required for the outer edges of the panels, as well as both internal and external corners. Five trims are available dependant on where you would like to fit our panels. All of our trims measure 2450mm in length and should be sealed using Showerwall sealant.



Sureseal

At the base of the Showerwall panel even greater sealing performance is achieved using Sureseal. Fit and forget using the only maintenance free shower seal on the market with no future resealing required. Sureseal's four point sealing system is quick and easy to install leaving the entire base of the panel encapsulated in sealant without any unsightly lines.



HPL Sealant & Adhesive

We recommend that Showerwall's own brand of adhesive and sealants are used for the effective fitting of the product. Our Showerwall guarantee only applies if the correct products are used when fitting Showerwall panels.

HPL panels use Showerwall Adhesive to adhere to the wall and Sealant for joins between panels, trims and edges, note Sealant is available in both a clear and white finish.




Please ensure that you follow the complete instructions or alternatively watch our installation video, both of which can be downloaded from our website.

HPL SYSTEM SIMPLICITY



SHOWER ENCLOSURE

- 01 End Trim x2
- 02 HPL Square Cut Panel x2
- 03 Internal Corner Trim
- 04 Sureseal



BATH SURROUND

- 01 End Trim x2
- 02 HPL Square Cut Panel
- 03 Internal Corner Trim
- 04 Sureseal
- 05 HPL Proclick Panel x2



Decor: Shell Marble

INTRODUCING OUR ACRYLIC RANGES

Our Acrylic product at a glance.



100% WATERPROOF

Our Acrylic panels are 100% waterproof and have been designed to ensure a watertight finish.

GLASS LIKE FINISH

Create the contemporary look of glass for a fraction of the cost with Acrylic. Once the panels have been cut, the edges can be sanded and polished to give a full transparent appearance.

MATERIAL

The unique high tech polymer acrylic panels are more scratch resistant compared to other acrylics or glass, giving you peace of mind and longevity. They can also be drilled and sanded like timber, giving you flexibility when installing.

SAMPLES

Whilst images and swatches give a good indication of a decor, nothing compares to seeing how the real thing will work in a space.

Order a sample online at www.showerwall.co.uk or email samples@showerwall.co.uk.

See our collections online using the Showerwall visualiser at showerwall.co.uk/visualiser.

 MANUFACTURED IN THE UK

CLEAN AND CARE

Showerwall Acrylic is chemical resistant; the grout free surface reduces hiding places for dirt and germs.

EASY INSTALLATION

Showerwall Acrylic is easy to handle, cut and install compared to large sheets of glass. There is also no need to worry about grout or accessories; panels are simply butted together using sealant.

10 YEAR GUARANTEE


When installed correctly, using the recommended fittings, our Acrylic panels are guaranteed against manufacturing defects for 10 years from installation date.

The Acrylic Collection


NEUTRALS




PASTELS



BRIGHTS




METALLICS




The Custom Collection


PATTERNS




PRINTS





TILES




IMAGES



The Custom Collection
A truly bespoke design solution. Consumers either choose from our library of stunning designs or capture their own personal style.


KEY  Colour change available  Light or dark grout available



ACRYLIC PANEL DETAILS


All decors from the Acrylic Collection are manufactured from a 4mm thick acrylic sheet that is rear painted to create a vibrant polished glass-like finish.

Our Custom Collection uses the superior finish of acrylic combined with rear printed graphics to bring digital imagery to life; offering a truly bespoke design solution and the ultimate flexibility to create something unique.




The 4mm thick acrylic sheets are 100% waterproof therefore do not require any trims; panels are simply joined together using sealant. These square cut panels are 2440mm in height and available in two widths:

Acrylic Panel Sizes



Customs Panel Sizes



Note: Acrylic panels are not available with Proclick technology and are supplied as square cut panels.


Acrylic Sealant

We recommend that Showerwall's own tried and tested brand of sealant is used for the effective fitting of the product. Our Showerwall guarantee only applies if the correct products are used when fitting Showerwall panels.

Translucent sealant should be used to adhere acrylic panels to the wall, and colour matched sealant should be used for joins between panels.




Colour matched sealant is available in the following colours:



Please ensure that you follow the complete instructions or alternatively watch our installation video, both of which can be downloaded from our website.

ACRYLIC SYSTEM SIMPLICITY



SHOWER ENCLOSURE






- 01 Acrylic Square Cut Panel x2
- 02 Colour matched sealant all around panel



A smart solution that is built to last and easy to install.

Decor Finishes

Showerwall panels are available in five finishes;

-  **Gloss**
A high shine finish creating a smooth, brilliant appearance
-  **Synchro**
A unique textured finish that follows the form of real material
-  **Matt**
A soft to touch flat surface with low light reflectivity
-  **Texture**
A structured surface that emulates the feel of organic materials
-  **Acrylic**
Achieve stunning glass like walls with acrylic panels

Installation

Fitting our shower panels is easy and can be completed by anyone who is competent at DIY. Full installation instructions are provided with every pack and we highly recommend the Showerwall installation video accessible via YouTube and www.showerwall.co.uk.

Failure to comply with the Showerwall installation instructions, including the recommended use of Showerwall sealant and adhesive, will invalidate your guarantee.

Disclaimer

Due to variations in the photographic and printing processes the colours shown may vary compared to the actual product. Natural stone decors by design will vary to replicate natural stone variances. Decors such as Luna and Cracked Grey may have shade variance between individual panels. This is normal for these particular decors and not grounds for complaint. All panels, irrelevant of decor type, must be inspected carefully before installation. Any concerns raised must be clarified prior to installation. It is recommended that actual product samples and / or retailer displays are viewed prior to purchase. We reserve the right to amend the specification of the products shown without prior notice. E&OE.

Care and Maintenance

Showerwall is more hygienic and easier to maintain than tiles. The non-porous surface provides excellent protection against bacteria, especially in the areas between tiles that are traditionally grouted. SuperClean anti-bacterial cleaner kills germs and keeps hard surfaces clean without scratching and is recommended for the optimum life and performance of the panel.

Abrasive cleaners and bleaches must not be used on Showerwall panelling. Sealant needs to be replaced at regular intervals. Failure to do this may cause water ingress and subsequent panel damage.

Samples

Order a sample online at showerwall.co.uk or email samples@showerwall.co.uk.

See our collections online using the Showerwall Visualiser at showerwall.co.uk/visualiser.

Guarantee

When installed correctly using the recommended fitting guide and accessories, Showerwall is guaranteed to be free from defects for 15 years (HPL), and 10 years (Acrylic), from the date of purchase. Copies of the Showerwall guarantees are available to download from www.showerwall.co.uk.

Note your Showerwall panels carry a 10 or 15 year guarantee that is limited to domestic use against manufacturing defects, only when registered using the owner registration document contained within the product packaging. If the purchase of the panels is not registered within 28 days of the installation being completed then the guarantee is reduced to a 5 year term (HPL) or 2 year term (Acrylic).

Waterproof Panelling System

Any reference to Showerwall waterproof panelling system refers to all elements of the Showerwall system being fitted together. Showerwall HPL panels must be fitted in accordance with the fitting instructions and **must** use Showerwall trims, sealant and adhesives to ensure the system is both waterproof and guaranteed.

European Standard Fire Rated

All Showerwall panels are classified EN 13501. In addition, selected HPL decors are British Standard Fire Rated Class 2-BS 476 : Part 7 : 1997.



Environmental Responsibility

All Showerwall HPL panels are manufactured using an FSC® certified MR MDF core, guaranteeing that the timber used is harvested from responsibly managed forests. By purchasing a product with such certification, you are supporting sustainable forest management worldwide.

We are fully committed to going beyond existing regulations to minimise any impact on our environment, protect people's health and safety, and make labour relations and social issues an integral part of everything we do.



The mark of responsible forestry




Packaging is made from 100% recycled material



Responsible Sourced





**Naturally inspired
surfaces**

T: 0845 604 7334

E: info@showerwall.co.uk

www.showerwall.co.uk | 2020-10