



**Krono**  
**Original**  
High Quality

Made by Kronospan

everyone's  
favourite flooring





K482 Twilight Sterling Oak [SUPER NATURAL] Front cover: K483 Antique Sterling Oak [SUPER NATURAL]



# Welcome to our world

## [www.krono-original.com](http://www.krono-original.com)

- Features guide 07
- Design and surface textures 09

---

### Collections

---



VINTAGE	10
ATLANTIC 8	14
ART COLLECTION	18
EASY TOUCH GLOSS	20
H <sub>2</sub> O TILE	22
SUPER NATURAL CLASSIC	26
KRONOWALL 3D	30
ENVIRONMENT	32
PRODUCT SUMMARY	34

---

# Everyone's favourite flooring.

From classic to modern,  
there will always be a floor that is to your taste.



K469 Tortilla Cashmere [ATLANTIC 8]

Elegant floors and walls. Aesthetically pleasing and high quality.  
Available in 44 attractive designs to give your surroundings a unique flair.  
Let yourself be inspired by the diversity of KronoOriginal® floors.





K461 Antique Volcano Oak [ATLANTIC 8]

# Features at a glance.

## GUARANTEE\*\*

All KronoOriginal® laminate floors are put through a series of rigorous tests in order to comply with international quality standards, which is why we grant an extensive residential warranty with every product (detailed terms of guarantee: [www.krono-original.com](http://www.krono-original.com)).

## STAIN AND IMPRINT RESISTANT

Whatever you might spill, whether red wine, oil or coffee, don't panic; it can be easily removed. KronoOriginal® is also abrasion resilient, robust and durable.

## ECO FRIENDLY

All KronoOriginal® floors are environmentally friendly as standard, made of up to 90% wood sourced from sustainably managed forests. What's more, the entire production chain – from raw materials to the finished product – has been certified and is regularly inspected by independent experts, ensuring peace of mind for you – and protection of our environment.

## A.B.C. ANTI BACTERIAL COATING

Keeping floors clean and free of bacteria is in everybody's interests, helping suppress allergies and prevent illness. The Anti Bacterial Coating on our flooring has exceeded the international standard ISO 22196:2011, confirming that it inhibits the growth of microorganisms. Staphylococcus aureus and Escherichia coli germs were reduced by 99.9% within 24 hours.

## AUTHENTIC EMBOSSED

The high quality Authentic Embossed structures feature elegant contrasting and a thrilling multi-gloss effect that emphasises the depth of the structure with matt and gloss elements that reflect the light differently. The synchronous pores follow the grain of the decor, meaning they flawlessly mimic the character of natural wood.

## HANDSCRAPED

A breathtakingly elegant and realistic oiled finish, with gentle irregular undulations, inspired by traditional Amish craftsmanship. The soft matt surface replicates the hardwood area of solid flooring gently polished over time due to footfall. Meanwhile the deep matt pores are highlighted with glossy accents.

## MICROSCRATCH PROTECT

This especially durable surface will protect your floors even better against micro-scratches through heavy use. With Microscratch Protect, your flooring will be well-protected against fine scratches and everyday wear and tear.

## INSTALLATION

The KronoOriginal® installation systems have been specifically designed to make fitting your laminate flooring as easy and hassle free as possible. The click profiles allow individual panels to be joined together quickly with minimal tools or complications.














5541 Bedrock Oak [SUPER NATURAL]



# The look and feel of real wood.

The latest KronoOriginal® collection is our widest-ever range of new decors; they comprise trends, and new surface textures and finishes inspired by leading designers. We constantly work to develop our products, creating new unique decors with perfectly matched wood and stone textures and panels of different sizes.



# VINTAGE



K413 Blackwater Oak

---


## AC4 | Class 32

### A timeless combination.

---

<b>thickness</b>	10 mm
<b>format</b>	1285 x 192 mm
<b>coverage</b>	1.73m <sup>2</sup> per pack
<b>lock</b>	1 clic 2go pure

- 30 years guarantee\*
- 4 sided v-groove
- A.B.C Anti bacterial coating\*\*
- Microscratch protect
- Authentic embossed
- Eco-friendly - natural wood




\* Detailed terms of guarantee: [www.krono-original.com](http://www.krono-original.com)  
\*\* Tested germs: Staphylococcus aureus

# VINTAGE




**K414 Corsair Oak**



**5537 Tawny Chestnut**  
Planked, Authentic Embossed (RC)




**5943 Natural Hickory**  
Planked, Authentic Embossed (VH)




**5947 Historic Oak**  
Planked, Authentic Embossed (HO)



8155 Appalachian Hickory



8155 Appalachian Hickory  
Planked, Authentic Embossed (VH)



8156 Red River Hickory  
Planked, Authentic Embossed (VH)



8156 Red River Hickory

## ATLANTIC 8



K450 Firebrand Oak

# The laminate floor that can simply do more.

## 48 hours of splash-water protection

– Thanks to MO.RE! technology, floors are more resistant to moisture. And that's a good thing. After all, minor everyday mishaps happen to all of us.

## Protection from microscratches

– the robust and hard-wearing surface masters the everyday challenges of modern family life

## Antibacterial comfort inhibits the growth<sup>1</sup>



– of bacteria on the floor and protects you and your loved ones from unpleasant surprises.

## Lightfast and colorfast

– no fading if exposed to sunlight according to level 6, the highest on the blue wool scale

## Pet proof

– thanks to their robust surface, MO.RE! technology and the antibacterial comfort, Atlantic floors are eminently suitable for households with pets



# ATLANTIC 8



K451 Silverdale Oak



## AC4 | Class 32

The laminate floor  
that can simply do  
more.

<b>thickness</b>	8 mm
<b>format</b>	1285 x 192 mm
<b>coverage</b>	2.22m <sup>2</sup>
<b>lock</b>	1clic 2go pure

- 20 years guarantee\*
- 4 sided v-groove
- A.B.C Anti bacterial coating\*\*
- Authentic embossed<sup>1</sup>
- Pet proof
- Eco-friendly - natural wood



\* Detailed terms of guarantee: [www.krono-original.com](http://www.krono-original.com)

\*\* Tested germs: Staphylococcus aureus

1) Selected decors

COLLECTION ART



8215 Ponderosa Pine

---

## AC4 | Class 32

### A master class in design

---

<b>thickness</b>	12 mm
<b>format</b>	1285 x 192 mm
<b>coverage</b>	1.48m <sup>2</sup>
<b>lock</b>	1clic 2go pure

- 20 years guarantee\*
- 4 sided v-groove
- A.B.C Anti bacterial coating\*\*
- Eco-friendly - natural wood




**K279 Westside Oak**  
Planked, Grained Timber (GT)




**4369 Dartmoor Oak**  
Planked, Rustic (RF)



**5542 Boulder Oak**  
Planked, Rustic (RF)




**5946 Rockford Oak**  
Planked, Rustic (RF)



**7658 Dark Walnut**  
Planked, Rustic (RF)



**8215 Ponderosa Pine**  
Planked, Rustic (RF)



**8264 Brissac Oak**  
Planked, Rustic (RF)

\* Detailed terms of guarantee: [www.krono-original.com](http://www.krono-original.com)

\*\* Tested germs: Staphylococcus aureus

**EASY TOUCH GLOSS**



**O251 Fresco Snow**

---


## AC4 | Class 32

**High gloss.  
High life.**

---

<b>thickness</b>	8 mm
<b>format</b>	1383 x 159 mm
<b>coverage</b>	2.20m <sup>2</sup> per pack
<b>lock</b>	Fold down

- 30 years guarantee
- 4 sided v-groove
- High gloss finish
- Eco-friendly - natural wood



H<sub>2</sub>O TILE



1526 Yukon Slate

# The laminate flooring that's not afraid of water

## 100 h+ splash-water protection guaranteed\*

– When it comes to the little accidents of everyday life, with H<sub>2</sub>O Floor, you can relax and calmly mop up the liquid. You can rest in the complete assurance that little mishaps won't turn into big disasters.

## O.R.C.A - Organic Rigid Coreboard antistatic <sup>1</sup>

– Our O.R.C.A. board is organic because it consists of compounds based on biological raw materials and organic-chemical binding agents (synthetic resins).

## CO<sub>2</sub>-neutral

– H<sub>2</sub>O Floor is CO<sub>2</sub>-neutral because manufacturing O.R.C.A. releases less CO<sub>2</sub> than was stored by the tree.

## PVC free

– H<sub>2</sub>O flooring contains no PVC.

## Antibacterial Coating<sup>2</sup>

– gives bacteria no chance to grow. With periodic cleaning, you and your family can enjoy everyday life without a care.

## Pet proof

– Thanks to its antibacterial Microscratch Protect surface, which is also undaunted by small mishaps, H<sub>2</sub>O Floor is exceptionally well-suited for life with house pets.



\* 24 h surface water protection as stipulated by NALFA (North American Laminate Floor Association) with additional 100 h+ surface water protection according to works standard specification KRONOSPAN WN-101, [www.100hour-test.com](http://www.100hour-test.com)

1) Consists of natural wood and an organic chemical binder. 2) Tested germs: Staphylococcus aureus.

H<sub>2</sub>O TILE



1528 Submarine Slate




## AC5 | Class 33

**100 h+ splash-water protection guaranteed.\***

<b>thickness</b>	8 mm
<b>format</b>	635 x 327 mm
<b>coverage</b>	2.28m <sup>2</sup> per pack
<b>lock</b>	1clic 2go pure

- 30 years guarantee<sup>1</sup>
- O.R.C.A moisture defense technology<sup>2</sup>
- 4 sided v-groove
- A.B.C Anti bacterial coating<sup>3</sup>
- Microscratch protect
- Anti-static
- Light-resistant<sup>4</sup>
- Pet proof
- Eco-friendly - natural wood



\* 24 h surface water protection as stipulated by NALFA (North American Laminate Floor Association) with additional 100 h+ surface water protection according to works standard specification KRONOSPAN WN-101, [www.100hour-test.com](http://www.100hour-test.com)

1) The guarantee is valid for domestic use according to the conditions of guarantee.


2) Consists of natural wood and an organic chemical binder.

3) Tested germs: Staphylococcus aureus.

4) According to Level 6 of the Blue Wool Scale (method for calculating light resistance).



**1526 Yukon Slate**  
Tiled, Authentic Embossed (OS)



**1528 Submarine Slate**  
Tiled, Antique Stone (AS)

SUPER NATURAL



K483 Antique Sterling Oak

---


## AC4 | Class 32

### A new depth of realism.

---

<b>thickness</b>	8 mm
<b>format</b>	1285 x 192 mm
<b>coverage</b>	2.22m <sup>2</sup>
<b>lock</b>	1clic 2go pure

- 20 years guarantee\*
- 4 sided v-groove
- A.B.C Anti bacterial coating\*\*
- Authentic embossed<sup>1</sup>
- Eco-friendly - natural wood



\* Detailed terms of guarantee: [www.krono-original.com](http://www.krono-original.com)  
\*\* Tested germs: Staphylococcus aureus  
1) Selected decors

**SUPER NATURAL**



**5542 Boulder Oak**



**K485 Natural Sterling Oak**  
Planked, Nature Line (NL)



**4369 Dartmoor Oak**  
Planked, Rustic (RF)



**5541 Bedrock Oak**  
Planked, Authentic Embossed (HC)






**5542 Boulder Oak**  
Planked, Authentic Embossed (HC)



**5543 Colorado Oak**  
Planked, Authentic Embossed (HC)



**5946 Rockford Oak**  
Planked, Nature Line (NL)



KRONOWALL 3D



K061 Rusty Barnwood


---

## Turns a wall into a feature.

---

**thickness** 12 mm  
**format** 1296 x 132 mm  
**coverage** 1.37m<sup>2</sup>

- Easy installation
- Can be fitted uniform, staggered or 'random'
- Easy clean, low maintenance
- Heat and moisture resistant
- Suitable for bathrooms\*
- Suitable for built-in lighting
- Can be used to conceal cables for TV and other appliances



\*Not for use in shower cubicles / behind shower head

**For your habitat,  
and for the environment.**



K461 ANTIQUE VOLCANO OAK



Only wood from sustainably managed forests. Resource-efficient production. All of this amounts to an expression of a love that goes beyond numerical values: our love of nature.



## PRODUCT SUMMARY

Code	Decor	Texture	Authentic Embossed	Handscraped	Size	Pack Coverage	Panels Per Pack	AC Rating
<b>Vintage</b>								
K413	Blackwater Oak	Old English Oak (OE)	Yes	-	1285 x 192 x 10mm	1.73m <sup>2</sup>	7	32
K414	Corsair Oak	Old English Oak (OE)	Yes	-	1285 x 192 x 10mm	1.73m <sup>2</sup>	7	32
K475	Virgin Scandi Larch	Vintage Hickory (VS)	Yes	-	1285 x 192 x 10mm	1.73m <sup>2</sup>	7	32
K478	Mushroom Carpenter Oak	Carpenter Mill Oak (CM)	Yes	-	1285 x 192 x 10mm	1.73m <sup>2</sup>	7	32
5537	Tawny Chestnut	Rustic Chestnut (RC)	Yes	-	1285 x 192 x 10mm	1.73m <sup>2</sup>	7	32
5943	Natural Hickory	Vintage Hickory (VH)	Yes	Yes	1285 x 192 x 10mm	1.73m <sup>2</sup>	7	32
5947	Historic Oak	Historic Oak (HO)	Yes	Yes	1285 x 192 x 10mm	1.73m <sup>2</sup>	7	32
8155	Appalachian Hickory	Vintage Hickory (VH)	Yes	Yes	1285 x 192 x 10mm	1.73m <sup>2</sup>	7	32
8156	Red River Hickory	Vintage Hickory (VH)	Yes	Yes	1285 x 192 x 10mm	1.73m <sup>2</sup>	7	32
<b>Atlantic 8</b>								
K392	Atomic Oak	Royal Oak (RO)	Yes	-	1285 x 192 x 8mm	2.22m <sup>2</sup>	9	32
K450	Firebrand Oak	Historic Oak (HO)	Yes	-	1285 x 192 x 8mm	2.22m <sup>2</sup>	9	32
K451	Silverdale Oak	Historic Oak (HO)	Yes	-	1285 x 192 x 8mm	2.22m <sup>2</sup>	9	32
K461	Antique Volcano Oak	Nature Line (NL)	-	-	1285 x 192 x 8mm	2.22m <sup>2</sup>	9	32
K469	Tortilla Cashmere Oak	Nature Line (NL)	-	-	1285 x 192 x 8mm	2.22m <sup>2</sup>	9	32
K480	Colonial Heritage Chestnut	Nature Line (NL)	-	-	1285 x 192 x 8mm	2.22m <sup>2</sup>	9	32
<b>Art Collection</b>								
K279	Westside Oak	Grained Timber (GT)	-	-	1285 x 192 x 12mm	1.48m <sup>2</sup>	6	32
4369	Dartmoor Oak	Rustic (RF)	-	-	1285 x 192 x 12mm	1.48m <sup>2</sup>	6	32
5542	Boulder Oak	Rustic (RF)	-	-	1285 x 192 x 12mm	1.48m <sup>2</sup>	6	32
5946	Rockford Oak	Rustic (RF)	-	-	1285 x 192 x 12mm	1.48m <sup>2</sup>	6	32
7658	Dark Walnut	Rustic (RF)	-	-	1285 x 192 x 12mm	1.48m <sup>2</sup>	6	32
8215	Ponderosa Pine	Rustic (RF)	-	-	1285 x 192 x 12mm	1.48m <sup>2</sup>	6	32
K413	Mushroom Carpenter Oak	Rustic (RF)	-	-	1285 x 192 x 12mm	1.48m <sup>2</sup>	6	32
<b>H<sub>2</sub>O Tile</b>								
1526	Yukon Slate	Oiled Slate (OS)	Yes	-	635 X 327 X 8mm	2.28m <sup>2</sup>	11	33
1528	Submarine Slate	Antique Stone (AS)	-	-	635 X 327 X 8mm	2.28m <sup>2</sup>	11	33
<b>Easy Touch</b>								
O251	Fresco Snow	High Gloss (HG)	-	-	1383 x 159 x 8mm	2.20m <sup>2</sup>	10	32
O522	Oak Uptown	High Gloss (HG)	-	-	1383 x 159 x 8mm	2.20m <sup>2</sup>	10	32
O580	Oak Posino	High Gloss (HG)	-	-	1383 x 159 x 8mm	2.20m <sup>2</sup>	10	32
O631	Maple Velvet	High Gloss (HG)	-	-	1383 x 159 x 8mm	2.20m <sup>2</sup>	10	32
<b>Super Natural</b>								
K375	Tomahawk Oak	Rustic (RF)	-	-	1285 x 192 x 8mm	2.22m <sup>2</sup>	9	32
K482	Twilight Sterling Oak	Nature Line (NL)	-	-	1285 x 192 x 8mm	2.22m <sup>2</sup>	9	32
K483	Antique Sterling Oak	Nature Line (NL)	-	-	1285 x 192 x 8mm	2.22m <sup>2</sup>	9	32
K484	Misty Sterling Oak	Nature Line (NL)	-	-	1285 x 192 x 8mm	2.22m <sup>2</sup>	9	32
K485	Natural Sterling Oak	Nature Line (NL)	-	-	1285 x 192 x 8mm	2.22m <sup>2</sup>	9	32
4369	Dartmoor Oak	Rustic (RF)	-	-	1285 x 192 x 8mm	2.22m <sup>2</sup>	9	32
5541	Bedrock Oak	Hand Carved (HC)	Yes	-	1285 x 192 x 8mm	2.22m <sup>2</sup>	9	32
5543	Colorado Oak	Hand Carved (HC)	Yes	-	1285 x 192 x 8mm	2.22m <sup>2</sup>	9	32
5542	Boulder Oak	Hand Carved (HC)	Yes	-	1285 x 192 x 8mm	2.22m <sup>2</sup>	9	32
5946	Rockford Oak	Nature Line (NL)	-	-	1285 x 192 x 8mm	2.22m <sup>2</sup>	9	32
5985	Sherwood Oak	Grained Timber (GT)	-	-	1285 x 192 x 8mm	2.22m <sup>2</sup>	9	32
8274	Modena Oak	Rustic (RF)	-	-	1285 x 192 x 8mm	2.22m <sup>2</sup>	9	32
8573	Harlech Oak	Living Pore (LP)	Yes	-	1285 x 192 x 8mm	2.22m <sup>2</sup>	9	32
8575	Blonde Oak	Living Pore (LP)	Yes	-	1285 x 192 x 8mm	2.22m <sup>2</sup>	9	32
8631	Castle Oak	Living Pore (LP)	Yes	-	1285 x 192 x 8mm	2.22m <sup>2</sup>	9	32
8633	Shire Oak	Living Pore (LP)	Yes	-	1285 x 192 x 8mm	2.22m <sup>2</sup>	9	32

Code	Decor	Texture	Authentic Embossed	Handscraped	Size	Pack Coverage	Panels Per Pack	3D Effect
<b>Kronowall 3D</b>								
K060	Alabaster Barnwood	1285 x 192 x 10mm	Yes	-	1296 x 132 x 12mm	1.37m <sup>2</sup>	8	Yes
K061	Rusty Barnwood	1285 x 192 x 10mm	Yes	-	1296 x 132 x 12mm	1.37m <sup>2</sup>	8	Yes

\* Flooring will be supplied in branded packaging indicated in the chart above \*\* According to the conditions of guarantee (detailed terms of guarantee: [www.krono-original.com](http://www.krono-original.com)) 1) Tested germs: Staphylococcus aureus  
 2) Not for use in shower cubicles / behind shower head





Retailer:



[www.krono-original.com](http://www.krono-original.com)  
[www.facebook.com/KronoOriginal](https://www.facebook.com/KronoOriginal)